

ESTHETIC CASE DELIVERY TX SEQUENCE II (Updated: 2003)

1. Remove temps and cement; clean/pumice teeth
2. Try-in; Adjust Contacts, Fit, Contours, Incisal Contours
3. Try-in w/Gel or water - verify shade
4. Verify patient acceptance: Chart entry: Patient signature.

Empress/ Targis:

4. Empress: Wash (If Targis: Microetch + wash)
5. Acetone + dry
6. Etchant Gel (phosph acid) X 60 sec's + wash +dry
7. Silane 60 sec's + dry
8. a. Empress: D/E Bonding Resin into veneers, blown thin (NOT cured) + into box
b. Targis: (Same as Empress)

Teeth:

9. Rubber Dam
10. Retraction Cord prn
11. Peroxide (Prn) + Wash
12. If Comp's present: Microetch + Acetone Composites
13. Wash
14. Tubulicid Red + dry
15. Etch 15 sec's
16. Wash: 15+ seconds
17. If Comps present----Silane Composites
19. Primer:Bisco - A & B : 5+ coats: Air evaporate (shiny)
20. Light cure 20 seconds each
21. a. Dual Cure Cement: Pre Bond resin onto teeth: Air THIN + NOT Cured
b. Light Cure Cement: D/E Bonding resin on teeth: Air Thin + NOT Cured
22. No cement on teeth

If Empress: (Ant: Light cured)
23. (Light cure cement)

If Targis: (Post: Dual cure)
(Dual cure cement (A + B mixed))

24. Place cement into veneers
25. Place veneers + clean w/ brushes, rubber tip, etc (No Floss)
26. Tack mid-facial + gingival (2mm tip) 10 sec's each w /seating pressure
27. Place all restorations 2x2 w/ cleaning + double tack
28. Once all to place and tacked: floss (pulling to seat veneer) + reclean all
29. Glycerin gel (or KY jelly) + fully cure all
30. Clean excess w/ Bard Parker #12, Jaquette, etc.
31. Smooth comps w burs, strips
32. Smooth porcelain w/finishing diamonds
33. Polish porcelain (Dialite Kit) + glaze with diamond paste
34. Polish comps
35. Fortify + cure all margins